

**SCHEDA TECNICA – DATA SHEET - DATENBLATT – FICHE TECHNIQUE**

Articolo/Article/Artikel/Article	BIOSANNA
Altezza/Width/Breite/Largeur	140 cm
Composizione/Composition/Zusammensetzung/Composition	100%LI
Peso/Weight/Gewicht/Poids	420 gr/m <sup>2</sup> – 590 gr/lm
Prodotta in/Made in/Hergestellt in/Fabriqué en	Italia/Italy/Italien/Italie
Tariffa doganale/Custom tariff/Zolltarif/Tarif douaniere	53091900
Resistenza all'abrasione/Abrasion resistance/Scheuerfestigkeit/Résistance à l'abrasion <b>(UNI EN ISO 12947-2 / Martindale)</b>	<b>20.000 rubs</b>
Pilling (5.000 cicli)/Pilling (5.000 rubs)/Pilling (5.000 scheuertouren)/Pilling (5.000 tours) <b>(UNI EN ISO 12945-2)</b>	<b>4/5</b>
Solidità del colore alla luce/Lightfastness/Lichtechtheit/Solidité à la lumière <b>(UNI EN ISO 105 B02 / Xenotest)</b>	<b>4/5</b>
Solidità del colore allo sfregamento/Fastness to rubbing/Reibecheit / Solidité au frottement <b>(UNI EN ISO 105 X12)</b>	<b>secco/dry/trocken/sec 4 umido/wet/nass/humide 3/4</b>
Resistenza alla cucitura/Seam slippage/Nahtschiebewidertand/Glisement à la couture <b>(UNI EN ISO 13936)</b>	<b>pass</b>
Resistenza alla lacerazione/Tear strenght/Weiterreissfestigkeit/Force de déchirure <b>(UNI EN ISO 13937)</b>	<b>pass</b>
Restringimento/Shrinkage/Schrumpfung/Rétrécissement <b>(trama/ordito)(warp/weft)(schuss/kette)(trame/chaîne)</b>	<b>+ / - 1%</b>

**NORME MANUTENZIONE/CARE INSTRUCTIONS  
PFLEGEBEHANDLUNG/INSTRUCTIONS D'ENTRETIEN**



**FIRE RETARDANCY**

Cigarette test	(EN 1021-1) (BS 5852 ign. 0)	<b>pass</b>
Match test	(EN 1021-2) (BS 5852 ign. 1)	
Classe 1IM	(UNI 9175/1987)	
Crib 5	(BS 5867-2 Type B)	
California	(California Technical Bulletin 117 – Section 1)	<b>pass</b>

