

**SCHEDA TECNICA – DATA SHEET - DATENBLATT – FICHE TECHNIQUE**

Articolo/Article/Artikel/Article	COUNTRY
Altezza/Width/Breite/Largeur	140 cm
Composizione/Composition/Zusammensetzung/Composition	80% WV – 20% PA
Peso/Weight/Gewicht/Poids	310 gr/m <sup>2</sup> – 440 gr/lm
Prodotta in/Made in/Hergestellt in/Fabriqué en	Italia/Italy/Italien/Italie
Tariffa doganale/Custom tariff/Zolltarif/Tarif douaniere	51113030
Resistenza all'abrasione/Abrasion resistance/Scheuerfestigkeit/Résistance à l'abrasion <b>(UNI EN ISO 12947-2 / Martindale)</b>	<b>80.000 rubs</b>
Pilling (5.000 cicli)/Pilling (5.000 rubs)/Pilling (5.000 scheuertouren)/Pilling (5.000 tours) <b>(UNI EN ISO 12945-2)</b>	<b>3</b>
Solidità del colore alla luce/Lightfastness/Lichtechtheit/Solidité à la lumière <b>(UNI EN ISO 105 B02 / Xenotest)</b>	<b>5</b>
Solidità del colore allo sfregamento/Fastness to rubbing/Reibecheit / Solidité au frottement <b>(UNI EN ISO 105 X12)</b>	<b>secco/dry/trocken/sec 4/5 umido/wet/nass/humide 4</b>
Resistenza alla cucitura/Seam slippage/Nahtschiebewidertand/Glissement à la couture <b>(UNI EN ISO 13936)</b>	<b>pass</b>
Resistenza alla lacerazione/Tear strenght/Weiterreissfestigkeit/Force de déchirure <b>(UNI EN ISO 13937)</b>	<b>pass</b>
Restringimento/Shrinkage/Schrumpfung/Rétrécissement <b>(trama/ordito)(warp/weft)(schuss/kette)(trame/chaîne)</b>	<b>+ / - 1%</b>

**NORME MANUTENZIONE/CARE INSTRUCTIONS  
PFLEGEBEHANDLUNG/INSTRUCTIONS D'ENTRETIEN**



**FIRE RETARDANCY**

Cigarette test	(EN 1021-1) (BS 5852 ign. 0)	<b>pass</b>
Match test	(EN 1021-2) (BS 5852 ign. 1)	<b>pass</b>
Classe 1IM	(UNI 9175/1987)	<b>pass with treatment</b>
Crib 5	(BS 5852 PART IGN. 5)	<b>pass with treatment</b>
California	(California Technical Bulletin 117 – Section 1)	<b>pass</b>
IMO	(FTPC 8 – Upholstery)	<b>pass</b>