



Articolo/Article/Artikel/Article	IKA 6
Altezza/Width/Breite/Largeur	140 cm
Composizione/Composition/Zusammensetzung/Composition	100% FR Recycled PL
Peso/Weight/Gewicht/Poids	320 gr/m <sup>2</sup> - 450 gr/lm
Prodotta in/Made in/Hergestellt in/Fabriqué en	Italia/Italy/Italien/Italie
Tariffa doganale/Custom tariff/Zolltarif/Tarif douaniere	55121990

Resistenza all'abrasione/Abrasion resistance/Scheuerfestigkeit/Résistance à l'abrasion (UNI EN ISO 12947-2 / Martindale)	50.000 rubs	
Pilling (5.000 cicli)/Pilling (5.000 rubs)/Pilling (5.000 scheuertouren)/Pilling (5.000 tours) (UNI EN ISO 12945-2)	4	
Solidità del colore alla luce/Lightfastness/Lichtechtheit/Solidité à la lumière (UNI EN ISO 105 B02 / Xenotest)	5	
Solidità del colore allo sfregamento/Fastness to rubbing/Reibechtheit/Solidité au frottement (UNI EN ISO 105 X12)	secco/dry/trocken/sec umido/wet/nass/humide	4/5 4
Resistenza alla cucitura/Seam slippage/Nahtschiebewidertand/Glisement à la couture (UNI EN ISO 13936-2)	ordito/warp/kette/chaîne trama/weft/schuss/trame	4 mm 5 mm
Resistenza alla lacerazione/Tear strength/Weiterreissfestigkeit/Force de déchirure (UNI EN ISO 13937-3)	ordito/warp/kette/chaîne trama/weft/schuss/trame	80 N 80 N
Restringimento/Shrinkage/Schrumpfung/Rétrécissement (trama/ordito)(weft/warp)(schuss/kette)(trame/chaîne)	+ / - 2%	

**NORME MANUTENZIONE/CARE INSTRUCTIONS**  
**PFLEGEBEHANDLUNG/INSTRUCTIONS D'ENTRETIEN**



**FIRE RETARDANCY**

Cigarette test	(EN 1021-1) (BS 5852 ign. 0)	Pass
Match test	(EN 1021-2) (BS 5852 ign. 1)	Pass
Crib 5	(BS 5852:2006)	Pass
Classe 1IM	(UNI 9175/1987)	Pass
California	(California Technical Bulletin 117 – Section 1)	Pass
M1	(NF P 92 503 507)	Pass
B1	(DIN 4102)	Pass